



ELSEVIER

Contents lists available at ScienceDirect

Information Processing Letters

www.elsevier.com/locate/ipl



A unified scheme for generalizing cardinality estimators to sum aggregation [☆]

Reuven Cohen ^{*}, Liran Katzir, Aviv Yehezkel

Department of Computer Science, Technion, Haifa 32000, Israel

ARTICLE INFO

Article history:

Received 14 February 2014
 Received in revised form 25 June 2014
 Accepted 14 October 2014
 Available online xxxx
 Communicated by M. Yamashita

Keywords:

Algorithms
 Statistical
 Big data processing

ABSTRACT

Cardinality estimation algorithms receive a stream of elements that may appear in arbitrary order, with possible repetitions, and return the number of distinct elements. Such algorithms usually seek to minimize the required storage at the price of inaccuracy in their output. This paper shows how to generalize every cardinality estimation algorithm that relies on extreme order statistics (min/max sketches) to a weighted version, where each item is associated with a weight and the goal is to estimate the total sum of weights. The proposed unified scheme uses the unweighted estimator as a black-box, and manipulates the input using properties of the beta distribution.

© 2014 Elsevier B.V. All rights reserved.

1. Introduction

Consider a very long stream of elements x_1, x_2, \dots, x_s with repetitions. Finding the number n of distinct elements is a well-known problem with numerous applications. The elements might represent IP addresses of packets passing through a router [8,9,16], elements in a large database [12], motifs in a DNA sequence [10], or elements of RFID/sensor networks [17]. One can easily find the exact value of n in the following way. When a new element x_i is encountered, compare its value to every distinct (stored) value encountered so far. If the value of x_i has not been seen before, keep it in the storage as well. After all the elements are treated, count the number of stored elements. This simple approach does not scale if storage is limited, or if the computation performed for each element x_i should be minimized. In such a case, the following cardinality estimation problem should be solved:

[☆] The research leading to these results has received funding from the European Community's Seventh Framework Programme (FP7/2007–2013) under grant agreement No. 610802.

^{*} Corresponding author.

E-mail address: rcohen@cs.technion.ac.il (R. Cohen).

<http://dx.doi.org/10.1016/j.ipl.2014.10.009>

0020-0190/© 2014 Elsevier B.V. All rights reserved.

Problem 1 (The cardinality estimation problem).

Instance: A stream of elements x_1, x_2, \dots, x_s with repetitions, and an integer m . Let n be the number of different elements, namely $n = |\{x_1, x_2, \dots, x_s\}|$, and let these elements be $\{e_1, e_2, \dots, e_n\}$.

Objective: Find an estimate \hat{n} of n using only m storage units, where $m \ll n$.

Several algorithms have been proposed for the cardinality estimation problem. See [2] for a theoretical overview and [16] for a practical overview with comparative simulation results. In this paper we study the following weighted generalization of the cardinality estimation problem:

Problem 2 (The weighted cardinality estimation problem).

Instance: A stream of weighted elements x_1, x_2, \dots, x_s with repetitions, and an integer m . Let n be the number of different elements, namely $n = |\{x_1, x_2, \dots, x_s\}|$, and let these elements be $\{e_1, e_2, \dots, e_n\}$. Finally, let w_j be the weight of e_j .

Objective: Find an estimate \hat{w} of $w = \sum_{j=1}^n w_j$ using only m storage units, where $m \ll n$.

An example of an instance for the cardinality estimation problem is the stream: a, b, a, c, d, b, d . For this

instance, $n = |\{a, b, c, d\}| = 4$. An example of an instance for the weighted problem is: $a(3)$, $b(4)$, $a(3)$, $c(2)$, $d(3)$, $b(4)$, $d(3)$. For this instance, $e_1 = a$, $e_2 = b$, $e_3 = c$, $e_4 = d$, $w_1 = 3$, $w_2 = 4$, $w_3 = 2$, $w_4 = 3$ and $\sum w_j = 12$.

As an application example, x_1, x_2, \dots, x_s could be IP packets received by a server. Each packet belongs to one of n IP flows e_1, e_2, \dots, e_n . The weight w_j can be the load imposed by flow e_j on the server. Thus, $\sum_{j=1}^n w_j$ represents the total load imposed on the server by all the flows to which packets x_1, x_2, \dots, x_s belong.

The main contribution of this paper is a unified scheme for generalizing any extreme order statistics estimator for the unweighted cardinality estimation problem to an estimator for the weighted cardinality estimation problem. **This scheme can be used for obtaining known estimators and new estimators in a generic way.** In particular, we show in Section 6 that:

- The new scheme can be used to extend the Hyper-LogLog algorithm [6], originally developed for the unweighted problem, to solve the weighted problem. The extended algorithm offers the best performance, in terms of statistical accuracy and memory storage, among all the other known algorithms for the weighted problem.
- The new scheme can be used to extend the “data sketching with Bernoulli random variables” estimator [2] to solve the weighted algorithm. The extended algorithm offers the best performance, in terms of statistical accuracy and memory storage, when sufficient a priori information about n is given.
- The new scheme can be used to obtain, in the same generic way, the estimator proposed by [3].

The rest of this paper is organized as follows: In Section 2 we discuss previous works on both the unweighted and weighted cardinality estimation problems. In Section 3 we describe the beta distribution and recall several properties that will be used later. We present our new unified scheme in Sections 4 and 5. In Section 6 we present a weighted version for several known estimators. Finally, in Section 7 we conclude the paper.

2. Related work

State-of-the-art cardinality estimators hash every element e_j into a low dimensional data sketch $h(e_j)$, which can be viewed as a random variable (RV). The different techniques can be classified according to the data sketches they store for future processing. This paper focuses on min/max sketches [2,6,11,15], which store only the minimum/maximum hashed values. The intuition behind such estimators is that each sketch carries information about the desired quantity. For example, when every element e_j is associated with a uniform RV, $h(e_j) \sim U(0, 1)$, the expected minimum value of $h(e_1), h(e_2), \dots, h(e_n)$ is $1/(n+1)$. The hash function guarantees that $h(e_j)$ is identical for all the appearances of e_j . Thus, the existence of duplicates does not affect the value of the extreme order statistics. The intuition behind the new unified scheme presented in this paper is that each

RV carries information about the weight of the corresponding element, and each sketch carries information about the total weight.

There are other cardinality estimation techniques other than min/max sketches. The first paper on cardinality estimation [7] describes a bit pattern sketch. In this case, the elements are hashed into a bit vector and the sketch holds the logical OR of all hashed values. Bottom- m sketches [4] are a generalization of min sketches, which maintain the m minimal values, where $m \geq 1$. Stable distribution sketches [13] generate a sketch using a vector dot product. A comprehensive overview of the different techniques is given in [2,16].

Previous works have also dealt with the weighted problem. A weighted estimator for continuous variables is given in [3]. Each element is hashed to a random variable derived from exponential distribution $h(e_j) \sim \text{Exp}(w_j)$, where w_j is the weight of e_j . Then, the minimum observed value is stored and used for the estimation. The intuition is that the minimum observed value is exponentially distributed with a parameter that is the weighted sum of the elements. **This estimator can be obtained as a direct result of our unified scheme, when our scheme is applied to continuous max sketches.**

In [5], the weighted problem with integer weights is solved using binary representations. The number of storage units is not fixed, because it depends on the weights. In contrast, the proposed scheme does not assume integer weights, and uses fixed memory. Another weighted estimator, based on continuous bottom- m sketches, is given in [4]. However, bottom- m sketches require maintaining a sorted list of the bottom- m values, which is more computationally demanding than keeping the m separate minimum/maximum values, as in the proposed unified scheme.

3. The beta distribution

We observe that all min/max sketches can be viewed as a two step computation: (a) hash each element uniformly into $(0, 1)$; and (b) store only the minimum/maximum observed value.¹ In the unified scheme we only change step (a) and hash each element into a beta distribution. The parameters of the beta distribution are derived from the weight of the element. In this section, we describe the beta distribution and two of its properties that will be used in the unified scheme.

The Beta(α, β) distribution is defined over the interval $(0, 1)$ and has the following probability and cumulative density functions (PDF and CDF respectively):

$$P[X = x \in (0, 1)] = \frac{\Gamma(\alpha + \beta)}{\Gamma(\beta)\Gamma(\alpha)} x^{\alpha-1} (1-x)^{\beta-1} \quad (1)$$

$$P[X \leq x] = \int_0^x \frac{\Gamma(\alpha + \beta)}{\Gamma(\beta)\Gamma(\alpha)} x^{\alpha-1} (1-x)^{\beta-1} dx, \quad (2)$$

¹ Some estimators (e.g. [6]) transform the uniform hashed values to induce a different distribution, and only then store the minimum/maximum observed value. In Section 6.1 we will consider such estimators.

where $\Gamma(z)$ is the gamma function, defined as $\int_0^\infty e^{-t}t^{z-1}dt$. Using integration by parts, the gamma function can be shown to satisfy $\Gamma(z+1) = z \cdot \Gamma(z)$. Combining this with $\Gamma(1) = 1$ yields $\Gamma(n) = (n-1)!$ for every integer n . Two other known beta identities are [14]:

$$\text{Beta}(1, 1) \sim U(0, 1) \tag{3}$$

and

$$\text{Beta}(\alpha, \beta) \sim 1 - \text{Beta}(\beta, \alpha). \tag{4}$$

A key property of the beta distribution, which we use in our unified scheme is as follows:

Lemma 1. *Let z_1, z_2, \dots, z_n be independent RVs, where $z_i \sim \text{Beta}(w_i, 1)$. Then,*

$$\max_{i=1}^n z_i \sim \text{Beta}\left(\sum_{i=1}^n w_i, 1\right).$$

Proof.

$$P[z_i \leq z] = \int_0^z w_i \cdot z^{w_i-1} dx = z^{w_i}$$

$$P\left[\max_{i=1}^n z_i \leq z\right] = \prod_{i=1}^n P[z_i \leq z] = \prod_{i=1}^n z^{w_i} = z^{\sum_{i=1}^n w_i}.$$

The first equation follows by setting $\alpha = w_i$ and $\beta = 1$ in Eq. (2), and by the fact that $\Gamma(w_i + 1) = w_i \Gamma(w_i)$. The second equation is due to the multiplication of independent variables. \square

The next lemma is a symmetric minimum version of the former one:

Lemma 2. *Let z_1, z_2, \dots, z_n be independent RVs, where $z_i \sim \text{Beta}(1, w_i)$. Then,*

$$\min_{i=1}^n z_i \sim \text{Beta}\left(1, \sum_{i=1}^n w_i\right).$$

Proof.

$$\begin{aligned} \min_{i=1}^n z_i &= -\max_{i=1}^n (-z_i) \\ &= 1 - \max_{i=1}^n (1 - z_i) \sim 1 - \text{Beta}\left(\sum_{i=1}^n w_i, 1\right) \\ &\sim \text{Beta}\left(1, \sum_{i=1}^n w_i\right). \end{aligned}$$

The first and second equations are due to algebraic manipulations. The first distribution identity follows from $1 - z_i \sim \text{Beta}(w_i, 1)$ (see Eq. (4)) and Lemma 1, and the second is due to Eq. (4). \square

4. The unified scheme

Let x_1, x_2, \dots, x_s be the values of a stream of elements with repetitions, such that $|\{x_1, x_2, \dots, x_s\}| = n$ and $x_i \in \{e_1, e_2, \dots, e_n\}$. Let each element e_j be associated with a weight w_j . This implies that if two elements x_{i_1} and x_{i_2} are equal (represented by the same element e_j), their weights are also equal. Let $w = \sum_{j=1}^n w_j$ be the value we want to estimate.

Min/max sketch estimators use a hash function to map every element x_i to $U(0, 1)$, and then remember only the minimum/maximum hashed value. If only one hash function is used, the sketch estimates the value of n with an infinite variance. To bound the variance, min/max sketches use m different hash functions in parallel and use their combined statistics for the estimation. With m hash functions, any (unweighted) min/max sketch associates each element x_i with m uniform hashed values $h_k(x_i)$, $1 \leq k \leq m$. The estimator remembers the minimum/maximum observed value for each hash function h_k , and uses these m values to estimate the number n of different elements. We first present this generic algorithm and then show how it can be generalized for the weighted cardinality problem. We focus on max sketch estimators, but similar algorithms can be developed for min sketches as well.

Algorithm 1 (A generic max sketch algorithm for the cardinality estimation problem).

1. Use m different hash functions, h_1, h_2, \dots, h_m . For every h_k and every input element x_i , compute $h_k(x_i)$. Let $h_k^+ = \max_{i=1}^s \{h_k(x_i)\}$ be the maximum observed value for hash function h_k .
2. Invoke $\text{ProcEstimate}(h_1^+, h_2^+, \dots, h_m^+)$ to estimate the number n of different elements.

$\text{ProcEstimate}()$ is the specific cardinality estimate procedure. Different algorithms employ different procedures, some of which are discussed in Section 6.2. Consider one of the hash functions, h_k . Assuming that $h_k(x) \sim U(0, 1)$, then, by Eq. (3), $h_k(x) \sim \text{Beta}(1, 1)$. Therefore, and by Lemma 1, we get:

Theorem 1. *For every hash function, $h_k^+ = \max_{i=1}^s h_k(x_i) \sim \text{Beta}(n, 1)$ holds. Thus, estimating the value of n by $\text{ProcEstimate}()$ in Algorithm 1 is equivalent to estimating the value of α in the $\text{Beta}(\alpha, 1)$ distribution of h_k^+ . \square*

The intuition behind our unified scheme is that instead of associating each element x_i with a uniform hashed value $h_k(x_i)$, we associate it with a RV taken from a $\text{Beta}(w_j, 1)$ distribution, where w_j is the element's weight. Technically, we first hash x_i uniformly $h_k(x_i) \sim U(0, 1)$. Then, we transform² $h_k(x_i)$ to $\tilde{h}_k(x_i)$, such that $\tilde{h}_k(x_i) \sim \text{Beta}(w_j, 1)$. Hence, and by Lemma 1, we have $\tilde{h}_k^+ \sim \text{Beta}(w = \sum_{j=1}^n w_j, 1)$ instead of $h_k^+ \sim \text{Beta}(n, 1)$ as

² We discuss the transformation from a uniform distribution to the beta distribution in Section 6.1.

in the unweighted case. Thus, and by [Theorem 1](#), the same algorithm that estimates n in the unweighted case can estimate w in the weighted case. This algorithm is agnostic to the distribution of the weight classes.

Algorithm 2 (A generic max sketch algorithm for the weighted cardinality estimation problem).

1. Use m different hash functions, $h_1, h_2, \dots, h_m \sim U(0, 1)$. For every h_k and every x_i , compute $\tilde{h}_k(x_i) \sim \text{Beta}(w_j, 1)$ (the transformation is described in [Section 6.1](#)). Let $\tilde{h}_k^+ = \max_{i=1}^s \{\tilde{h}_k(x_i)\}$.
2. Invoke $\text{ProcEstimate}(\tilde{h}_1^+, \tilde{h}_2^+, \dots, \tilde{h}_m^+)$ to estimate the value of w .

The key point is that $\text{ProcEstimate}()$ is exactly the same procedure used to estimate the unweighted cardinality n in [Algorithm 1](#).

Theorem 2. Estimating the weighted sum w by the weighted generalization ([Algorithm 2](#)) is equivalent to estimating the cardinality n by the original unweighted algorithm ([Algorithm 1](#)). Thus, [Algorithm 2](#) estimates w with the same variance and bias as [Algorithm 1](#) estimates n .

Proof. From [Lemma 1](#) follows that for every hash function h_k , $\tilde{h}_k^+ = \max_{i=1}^s \{h_k(x_i)\} \sim \text{Beta}(w, 1)$. Thus, and by [Theorem 1](#), the distribution of the input elements for $\text{ProcEstimate}()$ in [Algorithm 2](#) is exactly as the distribution of the input elements for $\text{ProcEstimate}()$ in [Algorithm 1](#): $\text{Beta}(\alpha, 1)$, where α is the parameter to be estimated. Finally, from [Theorem 1](#) follows that $\text{ProcEstimate}()$ estimates the value of α in both cases. \square

5. Reducing the number of hash functions using stochastic averaging

[Algorithms 1 and 2](#) use m different hash functions in order to obtain a better precision. In certain applications, the computational burden renders the scheme infeasible even for $m = 10$. Stochastic averaging [\[7\]](#) is a method to overcome the computational cost at the price of reduced statistical efficiency³ in the estimator’s variance, which is negligible in this case. The main idea is to use only two hash functions: the first for assigning a bucket (one of m) for every element x_i , and the second for associating every element x_i in every bucket with a $U(0, 1)$ value.⁴ The estimator then stores the maximum observed value of each bucket. We denote by H_1 the hash used for bucketing and by H_2 the hash used for generating the sketches. Formally, $H_1(x_i) \sim U\{1, 2, \dots, m\}$ and $H_2(x_i) \sim U(0, 1)$. We first incorporate this concept into the generic max sketch algorithm for the cardinality estimation problem ([Algorithm 1](#))

and then into the unified scheme for the weighted cardinality estimation problem ([Algorithm 2](#)). As in the previous section, we consider max sketch estimators, but the same idea is applicable for min sketches as well.

Algorithm 3 (A generic max sketch algorithm for the cardinality estimation problem using stochastic averaging).

1. Use two hash functions: $H_1(x_i) \sim U\{1, 2, \dots, m\}$ and $H_2(x_i) \sim U(0, 1)$. For every input element x_i , compute $H_1(x_i)$ and $H_2(x_i)$. Let $h_k^+ = \max_{i=1}^s \{H_2(x_i) \mid H_1(x_i) = k\}$ be the maximum observed value in the k ’th bucket.
2. Invoke $\text{ProcEstimateSA}(h_1^+, h_2^+, \dots, h_m^+)$ to estimate the number n of different elements.

Note that $\text{ProcEstimateSA}()$ in Step (2) is different from $\text{ProcEstimate}()$ in [Algorithm 1](#) and [Algorithm 2](#). In [Section 4](#) we defined h_k^+ to be the maximum observed value for the k ’th hash, and showed in [Theorem 1](#) that it satisfies $h_k^+ \sim \text{Beta}(n, 1)$; namely, estimating the value of n by $\text{ProcEstimate}()$ is equivalent to estimating the value of α in the $\text{Beta}(\alpha, 1)$ distribution of h_k^+ . In the following analysis we show an equivalent result for the stochastic averaging case. To this end, (a) let $\vec{h}^+ = (h_1^+, h_2^+, \dots, h_m^+)$ be the vector of the maximum observed values in each bucket; (b) let b_k be the size of the k ’th bucket, namely, $b_k = |\{H_1(x_i) = k\}|$; and (c) let $\vec{b} = (b_1, b_2, \dots, b_m)$ be the vector of the bucket’s sizes. Since h_k^+ is the maximum of b_k uniformly distributed RVs, from [Lemma 1](#) we get:

$$\vec{h}^+ \mid \vec{b} \sim (\text{Beta}(b_1, 1), \text{Beta}(b_2, 1), \dots, \text{Beta}(b_m, 1)). \quad (5)$$

From the Central Limit Theorems follows that b_k is highly concentrated around $\frac{n}{m}$. Specifically, $b_k = \frac{n}{m} \pm O(\sqrt{\frac{n}{m}})$. Substituting $b_k = \frac{n}{m}$ into [Eq. \(5\)](#) yields the following theorem, which is the stochastic averaging equivalence of [Theorem 1](#):

Theorem 3. For every hash function, $h_k^+ = \max_{i=1}^s \{H_2(x_i) \mid H_1(x_i) = k\} \sim \text{Beta}(b_k, 1) \approx \text{Beta}(\frac{n}{m}, 1)$. Thus, estimating the value of $\frac{n}{m}$ by $\text{ProcEstimateSA}()$ in [Algorithm 3](#) is equivalent to estimating the value of α in the $\text{Beta}(\alpha, 1)$ distribution of h_k^+ . \square

To generalize [Algorithm 3](#) for solving the weighted problem using stochastic averaging, we employ the same idea used for generalizing [Algorithm 1](#), where each element x_i is associated with a variable taken from a $\text{Beta}(w_j, 1)$ distribution. Thus, we first use H_1 to insert each element x_i into a random bucket $1 \leq k \leq m$, and H_2 to associate x_i with a uniformly distributed variable $H_2(x_i) \sim U(0, 1)$. Then, we transform $H_2(x_i)$ to have a beta distribution, $\tilde{H}_2(x_i) \sim \text{Beta}(w_j, 1)$. Hence, and by [Lemma 1](#), we get $\tilde{h}_k^+ \sim \text{Beta}(\frac{w}{m} = \sum_{\{H_1(x_i)=k\}} w_j, 1)$ instead of $h_k^+ \sim \text{Beta}(\frac{n}{m}, 1)$ in the unweighted case.

Algorithm 4 (A generic max sketch algorithm for the weighted cardinality estimation problem using stochastic averaging).

³ See the discussion regarding “statistical efficiency” at the end of this section.

⁴ In fact, it is possible to use a single hash function, as proposed in [\[7\]](#). In this case, the first $\log m$ bits are used for bucketing.

1. Use two hash functions: $H_1(x_i) \sim U\{1, 2, \dots, m\}$ and $H_2(x_i) \sim U(0, 1)$. For every x_i , compute $H_1(x_i)$ and $\tilde{H}_2(x_i) \sim \text{Beta}(w_j, 1)$ (the transformation is described in Section 6.1). Let $\tilde{h}_k^+ = \max_{i=1}^s \{\tilde{H}_2(x_i) \mid H_1(x_i) = k\}$ be the maximum observed value in the k 'th bucket.
2. Invoke $\text{ProcEstimateSA}(\tilde{h}_1^+, \tilde{h}_2^+, \dots, \tilde{h}_m^+)$ to estimate the value of w .

Define $\tilde{h}^+ = (\tilde{h}_1^+, \tilde{h}_2^+, \dots, \tilde{h}_m^+)$ and let $b_k = \sum_{\{H_1(x_i)=k\}} w_j$ be the sum of the elements in the k 'th bucket. As for the unweighted case, when \tilde{b} is known, from Lemma 1 follows that:

$$\tilde{h}^+ \mid \tilde{b} \sim (\text{Beta}(b_1, 1), \text{Beta}(b_2, 1), \dots, \text{Beta}(b_m, 1)). \quad (6)$$

Again, from the Central Limit Theorems follows that b_k is highly concentrated around $\frac{w}{m}$. Specifically, $b_k = \frac{w}{m} \pm O(\sqrt{\frac{1}{m} \sum_{j=1}^n w_j^2})$. Substituting this into Eq. (6) yields $b_k \sim \text{Beta}(\frac{w}{m}, 1)$, and the following equivalence of Theorem 2:

Theorem 4. Estimating the weighted sum w by the weighted generalization (Algorithm 4) is equivalent to estimating the cardinality n by the original unweighted algorithm (Algorithm 3). Thus, Algorithm 4 estimates w with the same variance and bias as Algorithm 3 estimates n .

Proof. The proof is similar to that of Theorem 2. \square

The most thorough study of the statistical effect of stochastic averaging on cardinality estimation [15] states that “it brings computational efficiency at the cost of a delayed asymptotical regime.” In other words, when n is sufficiently large, the variance of each bucket size b_k is negligible. The question in turn is how large n should be in order to obtain negligible variance of b_k in the unified scheme as well. From our simulation study we deduce that for the unweighted case, when the normalized standard deviation (i.e., the variance divided by the expectation) of each b_k is less than 10^{-3} , there is negligible loss of statistical efficiency. For example, when $n = 10^6$ and $m = 1000$, we get $\text{Var}[b_k/\mathbb{E}[b_k]] \approx \frac{m}{n} = 10^{-3}$. For the weighted case, assuming that $\frac{\sum_{j=1}^n w_j^2}{w^2} = 10^{-6}$, we get $\text{Var}[b_k/\mathbb{E}[b_k]] = \frac{\sum_{j=1}^n w_j^2}{w^2} m = 10^{-3}$. However, other choices of the weights may “delay” this bound for bigger values of n . To get a more natural view of $\frac{\sum_{j=1}^n w_j^2}{w^2}$, let us assume that the weights w_j are drawn from a random distribution. Thereby, $w = \sum_{j=1}^n w_j = n\mathbb{E}[w_j]$ and $\sum_{j=1}^n w_j^2 = n\mathbb{E}[w_j^2]$. Using the variance definition, we obtain:

$$\begin{aligned} \frac{\sum_{j=1}^n w_j^2}{w^2} &= \frac{n\mathbb{E}[w_j^2]}{n^2\mathbb{E}^2[w_j]} = \frac{\mathbb{E}[w_j^2] - \mathbb{E}^2[w_j] + \mathbb{E}^2[w_j]}{n\mathbb{E}^2[w_j]} \\ &= \frac{1}{n} \left(1 + \frac{\text{Var}[w_j]}{\mathbb{E}^2[w_j]} \right). \end{aligned}$$

Therefore,

$$\text{Var}[b_k/\mathbb{E}[b_k]] = \frac{\sum_{j=1}^n w_j^2}{w^2} m = \frac{m}{n} \left(1 + \frac{\text{Var}[w_j]}{\mathbb{E}^2[w_j]} \right).$$

Table 1
Distribution transformation examples.

Source	Transformation
$u \sim U(0, 1)$	$u^{\frac{1}{\alpha}} \sim \text{Beta}(\alpha, 1)$
$u \sim U(0, 1)$	$(1 - (1 - u)^{\frac{1}{\beta}}) \sim \text{Beta}(1, \beta)$
$u \sim U(0, 1)$	$\lfloor \log_{1-p}(1 - u) \rfloor = \lfloor \frac{\ln(1-u)}{\ln(1-p)} \rfloor \sim \text{Geom}(p)$
$u \sim U(0, 1)$	$-\ln u^{1/w} \sim \text{Exp}(w)$

It follows that the unified scheme can deal with unbounded number of weights as long as: (1) the weights are positive; and (2) $\text{Var}[w_j]/\mathbb{E}^2[w_j]$ is a small constant.

6. Implementation

6.1. Transformations between distributions

In Algorithms 1, 2, 3 and 4, each element x_i is associated with a uniformly distributed RV $h(x_i) \sim U(0, 1)$. However, some estimators transform the uniformly distributed hashed values into another distribution. For instance, in [2,6], $h(x_i)$ is transformed into a geometrical distribution. In this case, the transformation into a discrete distribution allows the number of bits required for storing every number to be controlled. The unified scheme proposed in this paper (Algorithms 2 and 4) transforms each hashed value $h(x_i)$ into a beta distribution $\tilde{h}(x_i) \sim \text{Beta}(w_j, 1)$. We now show how to transform a uniformly distributed RV to any distribution, and in particular to the beta distribution.

Let x be an RV whose CDF is a monotonically non-decreasing function F . The inverse function, also known as the quantile function, F^{-1} is defined as

$$F^{-1}(y) = \inf\{x : F(x) \geq y\}, \quad \text{where } 0 \leq y \leq 1. \quad (7)$$

The Inverse-Transform Method [18] is a method for generating random numbers from any probability distribution whose CDF is known, using the observation where if $u \sim U(0, 1)$ and $x = F^{-1}(u)$ then x has a CDF F .

Thus, to generate a random number x from distribution D with CDF F , one can generate a random number $u \sim U(0, 1)$ and output $x = F^{-1}(u)$. Therefore, the generic algorithms for the unweighted cardinality estimation problem, namely, Algorithm 1 and Algorithm 3, require converting each hashed value $h(x_i)$ into $\tilde{h}(x_i) = F^{-1}(h(x_i))$. Note that the estimator may keep the original uniform hashed values without any transformation, in which case $F(x) = x$. In Table 1 we describe several transformation examples (see [14,19] for more details).

We now return to our generic algorithms for the weighted cardinality estimation problem, namely, Algorithm 2 and Algorithm 4. The desired distribution is $\text{Beta}(w_j, 1)$, whose CDF and CDF inverse are $G_{\max}(x) = x^{w_j}$ and $G_{\max}^{-1}(u) = u^{1/w_j}$ respectively. The Inverse-Transform Method yields that $G_{\max}^{-1}(h(x_i)) = h(x_i)^{1/w_j} \sim \text{Beta}(w_j, 1)$. Namely, given a uniformly distributed hashed value $h(x_i) \sim U(0, 1)$, taking $\tilde{h}(x_i) = h(x_i)^{1/w_j}$ will satisfy $\tilde{h}(x_i) \sim \text{Beta}(w_j, 1)$. Thus, both Algorithms 2 and 4 require converting each hashed value $h(x_i)$ into $\tilde{h}(x_i) = F^{-1}(G_{\max}^{-1}(h(x_i)))$, where $G_{\max}^{-1}(u) = u^{1/w_j}$.

6.2. Examples of specific generalized algorithms

We now discuss several known algorithms for the cardinality estimation problem (Problem 1), and show how each of them is extended to solve the weighted cardinality problem (Problem 2), using Algorithm 2 or Algorithm 4. For each known algorithm we present:

1. the final distribution it uses and the transformation needed from the initial uniform hashed values;
2. the ProcEstimate() it uses for the estimation;
3. the asymptotic relative efficiency (ARE), as a measurement for the efficiency of each estimator [2] (it is defined as the ratio between n^2/m and the asymptotic variance of the estimator);
4. the size of the storage it uses;
5. how this algorithm is extended using our unified scheme to solve the weighted cardinality estimation problem.

Note that by Theorems 2 and 4, (3) and (4) above are the same for the unweighted algorithm and the weighted generalization.

Method-1: Continuous U(0, 1) with stochastic averaging

The basic algorithm is presented in [1] and is the minimum variance unbiased estimator. Its key properties are:

1. The estimator uses uniform variables. Thus, no transformation is needed and $F^{-1}(u) = u$ holds.
2. $ProcEstimate(h_1^+, h_2^+, \dots, h_m^+) = \frac{m(m-1)}{\sum_{k=1}^m (1-h_k^+)}$.
3. The ARE of this estimator is 1.00 [1].
4. The storage size is $32 \cdot m$ bits [1].
5. To generalize this estimator, we convert each hashed value into $\tilde{H}_2(x_i) = G_{\max}^{-1}(H_2(x_i))$ and then apply Algorithm 4. Thus, we get that

$$\hat{w} = \frac{m(m-1)}{\sum_{k=1}^m (1-\tilde{h}_k^+)}$$

holds, where

$$\tilde{h}_k^+ = \max\{(H_2(e_j))^{1/w_j} \mid H_1(e_j) = k\}.$$

Method-2: Continuous U(0, 1) with m different hash functions

This algorithm, presented in [3], is a maximum likelihood estimator. In addition, a weighted generalization to this algorithm is also presented in [3]. The weighted generalization can be directly obtained when the unified scheme proposed in this paper is applied to the continuous max sketches. Its key properties are:

1. The estimator uses exponential random variables with parameter 1. Therefore, according to Table 1, $F^{-1}(u) = -\ln u \sim \text{Exp}(1)$.
2. $ProcEstimate(\tilde{h}_1^+, \tilde{h}_2^+, \dots, \tilde{h}_m^+) = \frac{m}{\sum_{k=1}^m \tilde{h}_k^+}$, where

$$\tilde{h}_k^+ = \max\{-\ln(h_k(x_i))\}.$$

3. The ARE of this estimator is 1.00 [2].
4. The storage size is $32 \cdot m$ bits [2].
5. To generalize this estimator, each hashed value is converted into $\tilde{h}_k(x_i) = F^{-1}(G_{\max}^{-1}(h_k(x_i)))$ and then Algorithm 4 is applied. Thus, we get that $\hat{w} = \frac{m}{\sum_{k=1}^m \tilde{h}_k^+}$ holds, where $\tilde{h}_k^+ = \max\{-\ln(h_k(x_i))^{1/w_j}\}$. This generalization is identical to the algorithm presented in [3].

Method-3: HyperLogLog with stochastic averaging

This algorithm, presented in [6], is the best known algorithm for addressing Problem 1 in terms of the tradeoff between its ARE and storage size. Its key properties are:

1. The estimator uses geometric random variables with success probability 1/2. Therefore, according to Table 1, $F^{-1}(u) = \lfloor -\log_2 u \rfloor \sim \text{Geom}(1/2)$.
2. $ProcEstimate(\tilde{h}_1^+, \tilde{h}_2^+, \dots, \tilde{h}_m^+) = \frac{\alpha_m m^2}{\sum_{k=1}^m 2^{-\tilde{h}_k^+}}$, where

$$\tilde{h}_k^+ = \max\{\lfloor -\log_2(H_2(x_i)) \rfloor \mid H_1(x_i) = k\} \quad \text{and}$$

$$\alpha_m = \left(m \int_0^{\infty} \left(\log_2 \left(\frac{2+u}{1+u} \right) \right)^m du \right)^{-1}.$$

3. The ARE of this estimator is 0.925 [2].
4. The storage size is $5 \cdot m$ bits [2].
5. To generalize this estimator, each hashed value is converted into $\tilde{H}_2(x_i) = F^{-1}(G_{\max}^{-1}(H_2(x_i)))$ and then Algorithm 4 is applied. Thus, we get that

$$\hat{w} = \frac{\alpha_m m^2}{\sum_{k=1}^m 2^{-\tilde{h}_k^+}}$$

holds, where

$$\tilde{h}_k^+ = \max\{\lfloor -\log_2(H_2(e_j)^{1/w_j}) \rfloor \mid H_1(e_j) = k\}.$$

In summary, the HyperLogLog algorithm (Method-3), which offers the best tradeoff between precision and storage size, can be extended using our unified scheme to solve the weighted problem. The extended algorithm is the best algorithm for solving the weighted problem, and it is therefore the most important practical result of this paper.

7. Conclusion

In this paper we showed how to generalize every cardinality estimation algorithm that relies on extreme order statistics (min/max sketches) to a weighted version, where each item is associated with a weight and the goal is to estimate the total sum of weights. The proposed unified scheme uses the unweighted estimator as a black box, and manipulates the input using properties of the beta distribution. We proved that estimating the weighted sum by generalizing an underlying unweighted algorithm using our unified scheme is statistically equivalent to estimating the unweighted cardinality by the underlying unweighted algorithm.

References

- [1] P. Chassaing, L. G erin, Efficient estimation of the cardinality of large data sets, in: Proceedings of the 4th Colloquium on Mathematics and Computer Science, in: Discrete Math. Theor. Comput. Sci. Proc., vol. AG, 2006, pp. 419–422.
- [2] P. Clifford, I.A. Cosma, A statistical analysis of probabilistic counting algorithms, Scand. J. Stat. (2011).
- [3] E. Cohen, Size-estimation framework with applications to transitive closure and reachability, J. Comput. Syst. Sci. 55 (3) (1997) 441–453.
- [4] E. Cohen, H. Kaplan, Tighter estimation using bottom k sketches, Proc. VLDB Endow. 1 (1) (2008) 213–224.
- [5] J. Considine, F. Li, G. Kollios, J.W. Byers, Approximate aggregation techniques for sensor databases, in: ICDE, 2004, pp. 449–460.
- [6] P. Flajolet,  . Fusy, O. Gandouet, F. Meunier, HyperLogLog: the analysis of a near-optimal cardinality estimation algorithm, in: Analysis of Algorithms, AofA 2007, in: Discrete Math. Theor. Comput. Sci., 2007.
- [7] P. Flajolet, G.N. Martin, Probabilistic counting algorithms for data base applications, J. Comput. Syst. Sci. 31 (Sep. 1985) 182–209.
- [8]  . Fusy, F. Giroire, Estimating the number of active flows in a data stream over a sliding window, in: D. Panario, R. Sedgewick (Eds.), ANALCO, SIAM, 2007, pp. 223–231.
- [9] S. Ganguly, M.N. Garofalakis, R. Rastogi, K.K. Sabnani, Streaming algorithms for robust, real-time detection of DDoS attacks, in: ICDCS, IEEE Computer Society, 2007, p. 4.
- [10] F. Giroire, Directions to use probabilistic algorithms for cardinality for DNA analysis, Journ. Ouvert. Biol. Inform. Math. (2006).
- [11] F. Giroire, Order statistics and estimating cardinalities of massive data sets, Discrete Appl. Math. 157 (2009) 406–427.
- [12] S. Heule, M. Nunkesser, A. Hall, HyperLogLog in practice: algorithmic engineering of a state of the art cardinality estimation algorithm, in: Proceedings of the EDBT 2013 Conference, 2013.
- [13] P. Indyk, Stable distributions, pseudorandom generators, embeddings, and data stream computation, J. ACM 53 (May 2006) 307–323.
- [14] K. Krishnamoorthy, Handbook of Statistical Distributions with Applications, Chapman & Hall/CRC Press, Boca Raton, FL, 2006.
- [15] J. Lumbroso, An optimal cardinality estimation algorithm based on order statistics and its full analysis, in: Analysis of Algorithms, AofA 2010, in: Discrete Math. Theor. Comput. Sci., 2010.
- [16] A. Metwally, D. Agrawal, A.E. Abbadi, Why go logarithmic if we can go linear? Towards effective distinct counting of search traffic, in: Proceedings of the 11th International Conference on Extending Database Technology: Advances in Database Technology, EDBT’08, 2008, pp. 618–629.
- [17] C. Qian, H. Ngan, Y. Liu, L.M. Ni, Cardinality estimation for large-scale RFID systems, IEEE Trans. Parallel Distrib. Syst. 22 (9) (2011) 1441–1454.
- [18] R.Y. Rubinstein, D.P. Kroese, Simulation and the Monte Carlo Method, 2nd edition, Wiley Series in Probability and Statistics, 2008.
- [19] C. Walck, Handbook on Statistical Distributions for Experimentalists, Dec. 1996.